ELSEVIER

Molecular Brain Research 25 (1994) 371–373

MOLECULAR BRAIN RESEARCH

Author Index

Abbud, R., Hoffman, G.E. and Smith, M.S.
Lactation-induced deficits in NMDA receptor-mediated cortical and hippocampal activation: changes in NMDA receptor gene expression and brainstem activation (25) 323
Ackerman, S.L., Knowles, B.B. and Andrews, P.W.
Gene regulation during neuronal and non-neuronal differentiation of NTERA2 human teratocarcinoma-derived stem cells (25) 157
Akabayashi, A., Watanabe, Y., Gabriel, S.M., Chae, H.J. and Leibowitz, S.F.
Hypothalamic galanin-like immunoreactivity and its gene expression in relation to circulating corticosterone (25) 305
Andrews, P.W., see Ackerman, S.L. (25) 157
Appelhans, H., see Havenga, M.J.E. (25) 97
Araujo, F., see Ruano, D. (25) 225
Arilla, E., see López-Sañudo, S. (25) 143
Arrigoni-Martelli, E., see Virmani, M.A. (25) 105

Baker, H., see Son, J.H. (25) 129
Balderson, D., see Roberts, D.A. (25) 173
Beilharz, E., see Dragunow, M. (25) 19
Bianchi, M., see Cimino, M. (25) 1
Birtsch, Ch., see Wevers, A. (25) 122
Borson, N.D., see Gerhart, D.Z. (25) 313
Bosman, G.J.C.G.M., see Havenga, M.J.E. (25) 97
Brar-Rai, A., see Kendall, G. (25) 73
Bravo, R., see Dragunow, M. (25) 19

Cambray-Deakin, M.A., see Przyborski, S.A. (25) 273
Cattabeni, F., see Cimino, M. (25) 1
Chae, H.J., see Akabayashi, A. (25) 305
Chiaramello, A., see Soosaar, A. (25) 176
Chuang, E., see Rosen, J.B. (25) 168
Cimino, M., Marini, P., Colombo, S., Cattabeni, F., Bianchi, M. and Magnani, M.
Localization and age-dependent expression of hexokinase mRNA in the rat brain (25) 1
Cole, M.S., see Jetté, N. (25) 242
Colombo, S., see Cimino, M. (25) 1
Conti, R., see Virmani, M.A. (25) 105
Criado, J.R., see De Lecea, L. (25) 286

Deakin, J.F.W., see Roberts, D.A. (25) 173
De Blas, A.L., see Ruano, D. (25) 225
De Grip, W.J., see Havenga, M.J.E. (25) 97
De Lecea, L., Soriano, E., Criado, J.R., Steffensen, S.C., Henriksen, S.J. and Sutcliffe, J.G.
Transcripts encoding a neural membrane CD26 peptidase-like protein are stimulated by synaptic activity (25) 286
Dlouhy, S.R., see Kambouris, M. (25) 183
Dlouhy, S.R., see Kambouris, M. (25) 192
Docter, G.J., see Jongen-Rêlo, A.L. (25) 333
Dragunow, M., Beilharz, E., Sirimanne, E., Lawlor, P., Williams, C., Bravo, R. and Gluckman, P.
Immediate-early gene protein expression in neurons undergoing delayed death, but not necrosis, following hypoxic-ischaemic injury to the young rat brain (25) 19
Drewes, L.R., see Gerhart, D.Z. (25) 313

Ebina, K., see Sakagami, H. (25) 67
Ebina, K., see Sakagami, H. (25) 7
Emson, P.C., see Liu, L. (25) 90
Ensor, E., see Kendall, G. (25) 73

Fahnestock, M., see Jetté, N. (25) 242
Fukuda, Y., see Kosaka, J. (25) 163

Gabriel, S.M., see Akabayashi, A. (25) 305
Gaskin, A.A., see MacLennan, A.J. (25) 251
George, S.R., see Laurier, L.G. (25) 344
Geraerts, W.P.M., see Li, K.W. (25) 355
Gerhart, D.Z., Leino, R.L., Taylor, W.E., Borson, N.D. and Drewes, L.R.
GLUT1 and GLUT3 gene expression in gerbil brain following brief ischemia: an in situ hybridization study (25) 313
Ghetti, B., see Kambouris, M. (25) 183
Ghetti, B., see Kambouris, M. (25) 192
Glazner, G.W., Morrison, A.E. and Ishii, D.N.
Elevated insulin-like growth factor (IGF) gene expression in sciatic nerves during IGF-supported nerve regeneration (25) 265
Gluckman, P., see Dragunow, M. (25) 19
Groenewegen, H.J., see Jongen-Rêlo, A.L. (25) 333

Harrington, K.A., see Liu, L. (25) 90
Havenga, M.J.E., Bosman, G.J.C.G.M., Appelhans, H. and De Grip, W.J.
Expression of the anion exchanger (AE) gene family in human brain. Identification of a new AE protein: AE0 (25) 97
Hayakawa, T., see Yuguchi, T. (25) 50
Heinemann, S., see Wevers, A. (25) 122
Heller, H.C., see Prosser, R.A. (25) 151
Henriksen, S.J., see De Lecea, L. (25) 286
Hodes, M.E., see Kambouris, M. (25) 183
Hodes, M.E., see Kambouris, M. (25) 192
Hoffman, G.E., see Abbud, R. (25) 323
Honkaniemi, J., Kononen, J., Kainu, T., Pyykönen, I. and Pelto-Huikko, M.
Induction of multiple immediate early genes in rat hypothalamic paraventricular nucleus after stress (25) 234
Hook, V.Y.H., see Hwang, S.-R. (25) 135
Hughes, S. and Smith, M.E.
Upregulation of the pro-opiomelanocortin gene in motoneurones after nerve section in mice (25) 41
Hwang, S.-R. and Hook, V.Y.H.
Identification of carboxypeptidase H transcripts by antisense RNA (25) 135

Iadarola, M.J., see Rosen, J.B. (25) 168
Ichimura, T., see Watanabe, M. (25) 113
Inoue, Y., see Watanabe, M. (25) 113
Ishii, D.N., see Glazner, G.W. (25) 265
Isobe, T., see Watanabe, M. (25) 113

Jacobowitz, D.M., see Strauss, K.I. (25) 140
Jeske, A., see Wevers, A. (25) 122
Jetté, N., Cole, M.S. and Fahnestock, M.
NGF mRNA is not decreased in frontal cortex from Alzheimer's Disease patients (25) 242
Joh, T.H., see Son, J.H. (25) 129
Johnston, H.M. and Morris, B.J.
Induction of c-*fos* gene expression is not responsible for increased proenkephalin mRNA levels in the hippocampal dentate gyrus following NMDA stimulation (25) 147
Jongen-Rêlo, A.L., Docter, G.J., Jonker, A.J., Vreugdenhil, E., Groenewegen, H.J. and Voorn, P.
Differential effects of dopamine depletion on the binding and mRNA levels of dopamine receptors in the shell and core of the rat nucleus accumbens (25) 333
Jonker, A.J., see Jongen-Rêlo, A.L. (25) 333
Jope, R.S., see Williams, M.B. (25) 80

Kainu, T., see Honkaniemi, J. (25) 234
Kambouris, M., Sangameswaran, L., Triarhou, L.C., Kozak, C.A., Dlouhy, S.R., Ghetti, B. and Hodes, M.E.
Molecular characterization of a novel cDNA from murine cerebellum, developmental expression, and distribution in brain (25) 192
Kambouris, M., Triarhou, L.C., Dlouhy, S.R., Sangameswaran, L., Luo, F., Ghetti, B. and Hodes, M.E.

Novel cDNA clones obtained by antibody screening of a mouse cerebellar cDNA expression library (25) 183
Kato, K., Yoneda, Y., Okada, Y., Kiyama, H. and Shiosaka, S.
Gene transfer and the expression of a foreign gene in vivo in post-mitotic neurons of the adult rat brain using the hemagglutinating virus of the Japan-liposome method (25) 359
Keir, W.J. and Morrow, A.L.
Differential expression of $GABA_A$ receptor subunit mRNAs in ethanol-naive withdrawal seizure resistant (WSR) vs. withdrawal seizure prone (WSP) mouse brain (25) 200
Kendall, G., Ensor, E., Brar-Rai, A., Winter, J. and Latchman, D.S.
Nerve growth factor induces expression of immediate-early genes NGFI-A (Egr-1) and NGFI-B (nur 77) in adult rat dorsal root ganglion neurons (25) 73
Kitamura, Y., see Kosaka, J. (25) 163
Kiyama, H., see Kato, K. (25) 359
Knowles, B.B., see Ackerman, S.L. (25) 157
Kohmura, E., see Yuguchi, T. (25) 50
Kondo, H., see Owada, Y. (25) 364
Kondo, H., see Sakagami, H. (25) 67
Kondo, H., see Sakagami, H. (25) 7
Kondo, H., see Watanabe, M. (25) 113
Kononen, J., see Honkaniemi, J. (25) 234
Kosaka, J., Morii, E., Taniguchi, M., Kitamura, Y., Nomura, S. and Fukuda, Y.
Expression and localization of γ-aminobutyric acid A ($GABA_A$) receptor α1 subunit and L-glutamate decarboxylase (GAD) mRNAs in rat retina: an analysis by in situ hybridization (25) 163
Kozak, C.A., see Kambouris, M. (25) 192
Kuwano, R., see Watanabe, M. (25) 113

Lado, D.C., see MacLennan, A.J. (25) 251
Latchman, D.S., see Kendall, G. (25) 73
Laurier, L.G., O'Dowd, B.F. and George, S.R.
Heterogeneous tissue-specific transcription of dopamine receptor subtype messenger RNA in rat brain (25) 344
Lawlor, P., see Dragunow, M. (25) 19
Leibowitz, S.F., see Akabayashi, A. (25) 305
Leino, R.L., see Gerhart, D.Z. (25) 313
Li, K.W., Van Golen, F.A., Van Minnen, J., Van Veelen, P.A., Van der Greef, J. and Geraerts, W.P.M.
Structural identification, neuronal synthesis, and role in male copulation of myomodulin-A of *Lymnaea*: a study involving direct peptide profiling of nervous tissue by mass spectrometry (25) 355
Lin, L.-H., Van Eldik, L.J., Osheroff, N. and Norden, J.J.
Inhibition of protein kinase C- and casein kinase II-mediated phosphorylation of GAP-43 by S100β (25) 292
Liu, L., Xu, W., Harrington, K.A. and Emson, P.C.
The molecular cloning and expression of a human synaptic vesicle amine transporter that suppresses MPP^+ toxicity (25) 90
Lobron, Ch., see Wevers, A. (25) 122
López-Sañudo, S. and Arilla, E.
Somatostatin receptors coupled to the inhibition of adenylyl cyclase in the rat frontoparietal cortex are modulated by α_2 adrenoceptors (25) 143
Luo, F., see Kambouris, M. (25) 183

Macdonald, E.S., see Prosser, R.A. (25) 151
Machado, A., see Ruano, D. (25) 225
MacLennan, A.J., Gaskin, A.A. and Lado, D.C.
CNTF receptor α mRNA expression in rodent cell lines and developing rat (25) 251
Maelicke, A., see Wevers, A. (25) 122
Magnani, M., see Cimino, M. (25) 1
Marini, P., see Cimino, M. (25) 1
Molteni, R., see Riva, M.A. (25) 209
Morii, E., see Kosaka, J. (25) 163
Morris, B.J., see Johnston, H.M. (25) 147
Morrison, A.E., see Glazner, G.W. (25) 265
Morrow, A.L., see Keir, W.J. (25) 200

Neuman, T., see Soosaar, A. (25) 176
Nishizaki, T., see Sumikawa, K. (25) 257
Nomura, S., see Kosaka, J. (25) 163
Norden, J.J., see Lin, L.-H. (25) 292

O'Dowd, B.F., see Laurier, L.G. (25) 344
Okada, Y., see Kato, K. (25) 359
Osheroff, N., see Lin, L.-H. (25) 292
Otsuki, H., see Yuguchi, T. (25) 50
Owada, Y., Tominaga, T., Yoshimoto, T. and Kondo, H.
Molecular cloning of rat cDNA for cytosolic phospholipase A_2 and the increased gene expression in the dentate gyrus following transient forebrain ischemia (25) 364
Owen, F., see Roberts, D.A. (25) 173

Park, D.H., see Son, J.H. (25) 129
Pedneault, S. and Soghomonian, J.-J.
Glutamate decarboxylase (GAD65) mRNA levels in the striatum and pallidum of MPTP-treated monkeys (25) 351
Pelto-Huikko, M., see Honkaniemi, J. (25) 234
Pickering-Brown, S.M., see Roberts, D.A. (25) 173
Priestley, J.V., see Wotherspoon, G. (25) 34
Prosser, R.A., Macdonald, E.S. and Heller, H.C.
c-fos mRNA in the suprachiasmatic nuclei in vitro shows a circadian rhythm and responds to a serotonergic agonist (25) 151
Przyborski, S.A. and Cambray-Deakin, M.A.
Developmental changes in GAP-43 expression in primary cultures of rat cerebellar granule cells (25) 273
Pyykönen, I., see Honkaniemi, J. (25) 234

Racagni, G., see Riva, M.A. (25) 209
Rattray, M., see Wotherspoon, G. (25) 34
Riva, M.A., Tascedda, F., Molteni, R. and Racagni, G.
Regulation of NMDA receptor subunit mRNA expression in the rat brain during postnatal development (25) 209
Roberts, D.A., Balderson, D., Pickering-Brown, S.M., Deakin, J.F.W. and Owen, F.
The abundance of mRNA for dopamine D_2 receptor isoforms in brain tissue from controls and schizophrenics (25) 173
Rosen, J.B., Chuang, E. and Iadarola, M.J.
Differential induction of Fos protein and a Fos-related antigen following acute and repeated cocaine administration (25) 168
Rossi, S., see Virmani, M.A. (25) 105
Ruano, D., Araujo, F., Machado, A., De Blas, A.L. and Vitorica, J.
Molecular characterization of Type I $GABA_A$ receptor complex from rat cerebral cortex and hippocampus (25) 225

Sakagami, H., Ebina, K. and Kondo, H.
Localization of phosphatase inhibitor-1 mRNA in the developing and adult rat brain in comparison with that of protein phosphatase-1 mRNAs (25) 7
Sakagami, H., Ebina, K. and Kondo, H.
Re-examination of the ontogeny in the gene expression of DARPP-32 in the rat brain (25) 67
Sakaguchi, T., see Yuguchi, T. (25) 50
Sangameswaran, L., see Kambouris, M. (25) 183
Sangameswaran, L., see Kambouris, M. (25) 192
Savery, D., see Wotherspoon, G. (25) 34
Schröder, H., see Wevers, A. (25) 122
Schröder, R., see Wevers, A. (25) 122
Schulkin, J., see Strauss, K.I. (25) 140
Shiosaka, S., see Kato, K. (25) 359
Sirimanne, E., see Dragunow, M. (25) 19
Smith, M.E., see Hughes, S. (25) 41
Smith, M.S., see Abbud, R. (25) 323
Soghomonian, J.-J., see Pedneault, S. (25) 351
Son, J.H., Baker, H., Park, D.H. and Joh, T.H.
Drastic and selective hyperinnervation of central serotonergic neurons in a lethal neurodevelopmental mouse mutant, *Anorexia* (*anx*) (25) 129
Soosaar, A., Chiaramello, A., Zuber, M.X. and Neuman, T.
Expression of basic-helix-loop-helix transcription factor ME2 during brain development and in the regions of neuronal plasticity in the adult brain (25) 176
Soriano, E., see De Lecea, L. (25) 286
Spadoni, A., see Virmani, M.A. (25) 105
Steffensen, S.C., see De Lecea, L. (25) 286
Steward, O.
Electroconvulsive seizures upregulate astroglial gene expression selectively in the dentate gyrus (25) 217
Strauss, K.I., Jacobowitz, D.M. and Schulkin, J.
Dietary calcium deficiency causes a re-

duction in calretinin mRNA in the substantia nigra compacta-ventral tegmental area of rat brain (25) 140
Sumikawa, K. and Nishizaki, T.
The amino acid residues 1–128 in the α subunit of the nicotinic acetylcholine receptor contain assembly signals (25) 257
Sutcliffe, J.G., see De Lecea, L. (25) 286

Takahashi, Y., see Watanabe, M. (25) 113
Taniguchi, M., see Kosaka, J. (25) 163
Tascedda, F., see Riva, M.A. (25) 209
Taylor, W.E., see Gerhart, D.Z. (25) 313
Tohyama, M., see Yuguchi, T. (25) 50
Tominaga, T., see Owada, Y. (25) 364
Triarhou, L.C., see Kambouris, M. (25) 183
Triarhou, L.C., see Kambouris, M. (25) 192

Van der Greef, J., see Li, K.W. (25) 355
Van Eldik, L.J., see Lin, L.-H. (25) 292
Van Golen, F.A., see Li, K.W. (25) 355
Van Minnen, J., see Li, K.W. (25) 355
Van Veelen, P.A., see Li, K.W. (25) 355
Virmani, M.A., Conti, R., Spadoni, A., Rossi, S. and Arrigoni-Martelli, E.
L-Carnitine uptake into primary rat cortical cultures: Interaction with GABA (25) 105
Vitorica, J., see Ruano, D. (25) 225
Voorn, P., see Jongen-Rêlo, A.L. (25) 333
Vreugdenhil, E., see Jongen-Rêlo, A.L. (25) 333

Wanaka, A., see Yuguchi, T. (25) 50
Wang, W., see Wong, D.L. (25) 57
Watanabe, M., Isobe, T., Ichimura, T., Kuwano, R., Takahashi, Y., Kondo, H. and Inoue, Y.
Molecular cloning of rat cDNAs for the ζ and θ subtypes of 14-3-3 protein and differential distributions of their mRNAs in the brain (25) 113
Watanabe, Y., see Akabayashi, A. (25) 305
Wevers, A., Jeske, A., Lobron, Ch., Birtsch, Ch., Heinemann, S., Maelicke, A., Schröder, R. and Schröder, H.
Cellular distribution of nicotinic acetylcholine receptor subunit mRNAs in the human cerebral cortex as revealed by non-isotopic in situ hybridization (25) 122
Williams, C., see Dragunow, M. (25) 19
Williams, M.B. and Jope, R.S.
Distinctive rat brain immediate early gene responses to seizures induced by lithium plus pilocarpine (25) 80
Winter, J., see Kendall, G. (25) 73
Wong, D.L. and Wang, W.
Neural control of dopamine β-hydroxylase in vivo: acute and chronic effects (25) 57
Wotherspoon, G., Savery, D., Priestley, J.V. and Rattray, M.
Repeated administration of MDMA down-regulates preprocholecystokinin mRNA expression but not tyrosine hydroxylase mRNA expression in neurones of the rat substantia nigra (25) 34

Xu, W., see Liu, L. (25) 90

Yamada, K., see Yuguchi, T. (25) 50
Yamashita, T., see Yuguchi, T. (25) 50
Yoneda, Y., see Kato, K. (25) 359
Yoshimoto, T., see Owada, Y. (25) 364
Yuguchi, T., Kohmura, E., Yamada, K., Wanaka, A., Otsuki, H., Sakaguchi, T., Yamashita, T., Tohyama, M. and Hayakawa, T.
Messenger RNA and protein expression of basic fibroblast growth factor receptor after cortical ablation (25) 50

Zuber, M.X., see Soosaar, A. (25) 176